# FACT SHEET FOR PATIENTS Access Bio, Inc.

CareStart™ COVID-19 Antigen

You are being given this Fact Sheet because your sample(s) was tested for the Coronavirus Disease 2019 (COVID-19) using the *CareStart*<sup>TM</sup> COVID-19 Antigen test.

This Fact Sheet contains information to help you understand the risks and benefits of using this test for the diagnosis of COVID-19. After reading this Fact Sheet, if you have questions or would like to discuss the information provided, please talk to your healthcare provider.

For the most up to date information on COVID-19 please visit the CDC Coronavirus Disease 2019 (COVID-19) webpage: https://www.cdc.gov/COVID19

#### What is COVID-19?

COVID-19 is caused by the SARS-CoV-2 virus which is a new virus in humans causing a contagious respiratory illness. COVID-19 can present with a mild to severe illness, although some people infected with COVID-19 may have no symptoms at all. Older adults and people of any age who have underlying medical conditions have a higher risk of severe illness from COVID-19. Serious outcomes of COVID-19 include hospitalization and death. The SARS-CoV-2 virus can be spread to others not just while one is sick, but even before a person shows signs or symptoms of being sick (e.g., fever, coughing, difficulty breathing, etc.). A full list of symptoms of COVID-19 can be found at the following link: https://www.cdc.gov/coronavirus/2019ncov/symptoms-testing/symptoms.html.

### What is the CareStart™ COVID-19 Antigen?

The CareStart<sup>™</sup> COVID-19 Antigen is a type of test called an antigen test. Antigen tests are designed to detect proteins from the virus thatcauses COVID-19 in anterior nasal swabs.

#### Why was my sample tested?

Your sample was tested because i) your healthcare

## Where can I go for updates and more information? The most up-to-date information on COVID-19 is available at the CDC General webpage: <u>https://www.cdc.gov/COVID19</u>. In addition, please also contact your healthcare provider with any questions/concerns.

| Coronavirus |         |
|-------------|---------|
| Disease     | 2019    |
| (COVID-     | 19)     |
|             | Disease |

provider believes you may have been exposed to the virus that causes COVID-19 based on your signs and symptoms (e.g., fever, cough, difficulty breathing), and/or other risk factors and you are within the first five days of the onset of symptoms, or ii) you are undergoing serial testing even though you do not have symptoms or other risk factors for COVID-19 infection.

# What are the known and potential risks and benefits of the test?

Potential risks include:

April 12, 2021

- Possible discomfort or other complications that can happen during sample collection.
- Possible incorrect test result (see below for more information).

Potential benefits include:

- The results, along with other information, can help your healthcare provider make informed recommendations about your care.
- The results of this test may help limit the spread of COVID-19 to your family and others in your community.

### What does it mean if I have a positive test result?

If you have a positive test result, it is very likely that you have COVID-19. Therefore, it is also likely that you may be placed in isolation to avoid spreading the virus to others. There is a very small chance that this test can give a positive result that is wrong (a false positive result). Your healthcare provider will work with you to determine how best to care for you based on your test result(s) along with your medical history, and your symptoms.

# FACT SHEET FOR PATIENTS

Access Bio, Inc. CareStart™ COVID-19 Antigen

What does it mean if I have a negative test result? A negative test result means that proteins from the virus that causes COVID-19 were not found in your sample.

It is possible for this test to give a negative result that is incorrect (false negative) in some people with COVID-19. This means that you could possibly still have COVID-19 even though the test is negative. If your test result is negative, your healthcare provider will consider the test result together with all other aspects of your medical history (such as symptoms, possible exposures, and geographical location of places you have recently traveled) in deciding how to care for you. The amount of antigen in a sample may decrease the longer you have symptoms of infection. In symptomatic people, specimens collected after you have had symptoms for more than 5 days may be more likely to be negative compared to a molecular assay.

It is important that you work with your healthcare provider to help you understand the next steps you should take.

#### What is serial testing?

Serial testing is when a single person is tested for COVID-19 more than once using the same test. Because antigen tests are less sensitive than other COVID-19 tests and false results may occur, repeated testing may identify more individuals with COVID-19 infection than testing a single test. By repeating testing, it may be possible to more quickly identify cases of COVID-19 infection and reduce spread of infection. Additional testing with amolecular COVID-19 test may be necessary, depending on your individual risk factors and test results.

It is important that you work with your healthcare provider to help you understand the next steps you should take.

# What are the differences between antigen tests and other COVID-19 tests?

There are different kinds of diagnostic tests for COVID-19. Molecular tests (PCR are the most common type of molecular test detect genetic material from the virus.

- ests (PCR are the most common type of letect genetic material from the virus. supported by the Secretary of Health and Human Service's (HHS's) declaration that circumstances exist
- Where can I go for updates and more information? The most up-to-date information on COVID-19 is available at the CDC General webpage: <u>https://www.cdc.gov/COVID19</u>. In addition, please also contact your healthcare provider with any questions/concerns.

Antigen tests detect proteins from the virus. Antigen tests are very specific for the virus, but are not as sensitive as molecular tests. This means that a positive result is highly accurate, but a negative result does not rule out infection.

April 12, 2021

Coronavirus

Disease 2019

(COVID-19)

If your test result is negative, you should discuss with your healthcare provider whether an additional molecular test would help with your care, and when you should discontinue home isolation. If you will not have an additional test to determine if you are contagious, the CDC currently recommends that you should stay home until three things havehappened:

- You have had no fever for at least 24 hours (that is one f ull day of no fever without the use of medicine that reduces fevers).
- Other symptoms of COVID-19 are improving (for example, when your cough or shortness of breath has improved) \*\*Loss of taste and smell may persist for weeks or months after recovery and need not delay the end of isolation

## AND

 At least 10 days have passed since your symptoms firstappeared.

For up to date guidance on home isolation after you had or likely had COVID-19, please consult: https://www.cdc.gov/coronavirus/2019-ncov/if-you-aresick/end-home-isolation.html

For more information, the CDC has provided guidelines on how to prevent the spread of COVID-19 if you are sick: https://www.cdc.gov/coronavirus/2019ncov/downloads/sick-with-2019-nCoV-fact-sheet.pdf.

#### Is this test FDA-approved or cleared?

No. This test is not yet approved or cleared by the United States FDA. FDA may issue an Emergency Use Authorization (EUA) when certain criteria are met, which includes that there are no adequate, approved, available alternatives. The EUA for this test is supported by the Secretary of Health and Human Service's (HHS's) declaration that circumstances exist

| FACT SHEET FOR PATIENTS<br>Access Bio, Inc.<br><i>CareStart</i> <sup>™</sup> COVID-19 Antigen   | April 12, 2021 | Coronavirus<br>Disease 2019<br>(COVID-19) |
|---|----------------|---|
| to justify the emergency use of <i>in vitro</i> diagnostics for<br>the detection and/or diagnosis of the virus that causes<br>COVID-19. This EUA will remain in effect (meaning this<br>test can be used) for the duration of the COVID-19<br>declaration justifying emergency of IVDs, unless it is<br>terminated or revoked by FDA (after which the test<br>may no longer be used). |                |   |
| What are the approved alternatives?<br>There are no approved available alternative antigen<br>tests. Any tests that have received full marketing<br>status (e.g.,cleared, approved), as opposed to an<br>EUA, by FDA canbe found by searching the<br>modical device detbeorghere  |                |   |
| medical device databaseshere:<br><u>https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases</u> . A cleared or approved test should<br><u>beused instead of a test made available under an</u><br>EUA, when appropriate and available. FDA has issued  |                |   |

EUAsfor other tests that can be found at: https://www.fda.gov/emergency-preparedness-andresponse/mcm-legal-regulatory-and-policyframework/emergency-use-authorization.

• Where can I go for updates and more information? The most up-to-date information on COVID-19 is available at the CDC General webpage: <a href="https://www.cdc.gov/COVID19">https://www.cdc.gov/COVID19</a>. In addition, please also contact your healthcare provider with any questions/concerns.

3